

LAVOR



High pressure cleaner range 2012

STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.085.0003C
barcode	8013298168880
max pressure (bar)	120
max delivery rate (l/h)	330
abs. power (W)	1500
weight (Kg)	5,5
dimensions (cm)	40 x 20 h 33
pcs for pallet	72

Load Q.ty: 20'=1113 40'=2267 40' HQ=2586

Available also 110/120V - 60Hz version: 1300 psi
- 1.35 GPM (USA) - 1300W

JD 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Standard set of accessories

**Compact
Easy transport**



Express Plus 120

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Standard set of accessories

COLD WATER HIGH-PRESSURE CLEANERS

code	8.084.0007C
barcode	8013298168897
max pressure (bar)	120
max delivery rate (l/h)	360
abs. power (W)	1700
weight (Kg)	8
dimensions (cm)	29,5 x 26,5 h 51
pcs for pallet	48

Load Q.ty: 20'=640 40'=1312 40' HQ=1560

Available also 110/120V - 60Hz version: 1300 psi
- 1.35 GPM (USA) - 1300W

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.072.0601C
barcode	8013298169658
max pressure (bar)	130
max delivery rate (l/h)	420
abs. power (W)	1800
weight (Kg)	8
dimensions (cm)	29,5 x 26,5 h 54
pcs for pallet	36

Load Q.ty: 20'=648 40'=1328 40' HQ=1560

Available also 110/120V - 60Hz version: 1400 psi
- 1.55 GPM (USA) - 1350W

Power 19

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Standard set of accessories



Skipper Junior 130

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush

COLD WATER HIGH-PRESSURE CLEANERS

code	8.072.0632C
barcode	8013298168873
max pressure (bar)	130
max delivery rate (l/h)	420
abs. power (W)	1800
weight (Kg)	8
dimensions (cm)	29,5 x 26,5 h 54
pcs for pallet	36

Load Q.ty: 20'=648 40'=1328 40' HQ=1560

Available also 110/120V - 60Hz version: 1400 psi
- 1.55 GPM (USA) - 1350W

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.086.0001C
barcode	8013298168941
max pressure (bar)	140
max delivery rate (l/h)	450
abs. power (W)	1900
weight (Kg)	9
dimensions (cm)	59,5 x 26,5 h 31
pcs for pallet	36

Load Q.ty: 20'=566 40'=1130 40' HQ=1280

Available also 110/120V - 60Hz version: 1500 psi - 1.55 GPM (USA) - 1400W

STM 140

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush



STM 150

- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Patio cleaner

COLD WATER HIGH-PRESSURE CLEANERS

code	8.086.0002C
barcode	8013298168958
max pressure (bar)	150
max delivery rate (l/h)	450
abs. power (W)	2100
weight (Kg)	10,5
dimensions (cm)	29,5 x 39,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=895 40' HQ=968

Available also 110/120V - 60Hz version: 1600 psi - 1.80 GPM (USA) - 1500W

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.086.0003C
barcode	8013298168965
max pressure (bar)	160
max delivery rate (l/h)	510
abs. power (W)	2500
weight (Kg)	12,5
dimensions (cm)	37 x 37 h 54
pcs for pallet	18

Load Q.ty: 20'=360 40'=744 40' HQ=874

Available also 110/120 - 60Hz version: 1800 psi - 1.90 GPM (USA) - 1600W

STM 160

- Three pistons, aluminium pump head with built-in by-pass valve
- Hose-reel
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance
- Rotary brush
- Fixed brush
- Patio cleaner



**INDUCTION
MOTOR POWERED**

i Clean 140

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Hose-holder
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Turbo lance

COLD WATER HIGH-PRESSURE CLEANERS

code	8.087.0001C
barcode	8013298169368
max pressure (bar)	140
max delivery rate (l/h)	400
abs. power (W)	2000
weight (Kg)	13,3
dimensions (cm)	59,5 x 26,5 h 34
pcs for pallet	36

Load Q.ty: 20'=504 40'=1002 40' HQ=1168

Available also 110/120V - 60Hz version: 1700 psi - 1.5 GPM (USA) - 1500W

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.087.0002C
barcode	8013298169375
max pressure (bar)	160
max delivery rate (l/h)	400
abs. power (W)	2300
weight (Kg)	14,5
dimensions (cm)	39,5 x 29,5 h 58
pcs for pallet	24

Load Q.ty: 20'=432 40'=906 40' HQ=906

Available also 110/120V - 60Hz version: 1800 psi - 1.6 GPM (USA) - 1600W

i Clean 160

- Low maintenance motor
- Three pistons, aluminium pump head with built-in by-pass valve
- Automatic Stop System
- Built-in detergent tank for direct suction
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Turbo lance
- Fixed brush



Independent 1900

- Unleaded gasoline engine
- Three pistons, aluminium pump head
- Accessory holder
- Hose-holder
- Ergonomic handle
- Standard set of accessories

COLD WATER HIGH-PRESSURE CLEANERS WITH PETROL ENGINE

code	8.601.0103C
barcode	8013298166541
max pressure (bar)	130
max delivery rate (l/h)	520
RPM	3600 - 4 stroke
motor power (hp)	2,5
weight (Kg)	14
dimensions (cm)	48 x 39 h 51
pcs for pallet	18

Load Q.ty: 20'=288 40'=576 40' HQ=720

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS WITH PETROL ENGINE

code	8.601.0151C
barcode	8013298166992
max pressure (bar)	160
max delivery rate (l/h)	540
RPM	3600 - 4 stroke
motor power (hp)	5,5
weight (Kg)	35
dimensions (cm)	50 x 56 h 66
pcs for pallet	12

Load Q.ty: 20'=185 40'=383 40' HQ=383

Independent 2300

- Unleaded gasoline engine
- Three pistons, aluminium pump head
- Accessory holder
- Hose-holder
- Ergonomic handle
- Standard set of accessories
- Professional hose
- 3 mt garden hose
- Set 5 nozzles



Independent 2800

- Unleaded gasoline engine
- Three pistons, brass pump head
- Accessory holder
- Hose-holder
- Ergonomic handle
- Standard set of accessories
- Professional hose
- 3mt garden hose
- Set 5 nozzles

COLD WATER HIGH-PRESSURE CLEANERS WITH PETROL ENGINE

code	8.601.0148C
barcode	8013298169528
max pressure (bar)	200
max delivery rate (l/h)	630
RPM	3600 - 4 stroke
motor power (hp)	6,5
weight (Kg)	40
dimensions (cm)	47 x 57 h 57
pcs for pallet	12

Load Q.ty: 20'=185 40'=383 40' HQ=383

STANDARD EQUIPMENT





Wave

Wave UP

Wave HR

Cold water high-pressure cleaners

Wave series

Compact, handy, ideal for any outdoor cleaning requirement, DIY of high-pressure cleaners is showing its extreme versatility by granting top quality performance, reliability and ease of use.

The perfect balance among performance, design and ergonomics makes Wave high-pressure cleaners an irreplaceable instrument for working, both in DIY and in professional sectors.

The complete set of accessories enables applications and usage of the products to be enlarged, by making them functional for any need to wash, hygienise, degrease and disinfect, in a short time and comfortably, any external surface.

Wave



- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Inlet filter

COLD WATER HIGH-PRESSURE CLEANERS

code	8.088.0005C
barcode	8013298200122
max pressure (bar)	110
max delivery rate (l/h)	330
abs. power (W)	1700
weight (Kg)	7,2
dimensions (cm)	29,5 x 26,5 h 54
pcs for pallet	48

Load Q.ty: 20'=640 40'=1300 40' HQ=1640

Available also 110/120V - 60Hz version: 1300 psi max - 1.35 GPM (USA) max - 1300W

STANDARD EQUIPMENT



STANDARD EQUIPMENT



COLD WATER HIGH-PRESSURE CLEANERS

code	8.088.0006C
barcode	8013298200139
max pressure (bar)	125
max delivery rate (l/h)	400
abs. power (W)	1800
weight (Kg)	7,5
dimensions (cm)	29,5 x 26,5 h 56
pcs for pallet	42

Load Q.ty: 20'=566 40'=1130 40' HQ=1280

Available also 110/120V - 60Hz version: 1400 psi max - 1.55 GPM (USA) max - 1350W

Wave UP

- Three pistons, aluminium pump head with built-in by-pass valve.
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Fixed brush
- Inlet filter



Wave HR

- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Hose-reel
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Rotary brush
- Inlet filter



COLD WATER HIGH-PRESSURE CLEANERS

code	8.088.0007C
barcode	8013298200146
max pressure (bar)	135
max delivery rate (l/h)	420
abs. power (W)	1900
weight (Kg)	8,7
dimensions (cm)	29,5 x 26,5 h 60
pcs for pallet	42

Load Q.ty: 20'=566 40'=1130 40' HQ=1280

Available also 110/120V - 60Hz version: 1500 psi max - 1.55 GPM (USA) max - 1400W

STANDARD EQUIPMENT





Rise

Rise UP

Rise HR


Cold water high-pressure cleaners

Rise series

Compact, handy, ideal for any outdoor cleaning requirement, DIY of high-pressure cleaners is showing its extreme versatility by granting top quality performance, reliability and ease of use.

The perfect balance among performance, design and ergonomics makes Wave high-pressure cleaners an irreplaceable instrument for working, both in DIY and in professional sectors.

The complete set of accessories enables applications and usage of the products to be enlarged, by making them functional for any need to wash, hygienise, degrease and disinfect, in a short time and comfortably, any external surface.



- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Inlet filter


Rise

COLD WATER HIGH-PRESSURE CLEANERS	
code	-
barcode	-
max pressure bar	110
max delivery rate l/h	330
abs. power W	1700
weight	7,2 Kg
dimensions	29,5 x 26,5 h 54 cm
pcs for pallet	48


Load Q.ty: 20'=640 40'=1300 40' HQ=1640

Available also 110/120V - 60Hz version: 1300 psi max - 1.35 GPM (USA) max - 1300W


STANDARD EQUIPMENT




- 6.001.0073
- 3.100.0405
- 4.018.0094
- 6.002.0286C
- 6.002.0329




WOBBLE PLATE
PUMP



CONNECTION
GUN
CLICK




+50%
WASHING



2
LEVEL
WASHING

STANDARD EQUIPMENT




- 3.100.0405
- 6.001.0073
- 4.018.0095
- 3.601.0033
- 6.002.0286C
- 6.002.0329

Rise UP


COLD WATER HIGH-PRESSURE CLEANERS	
code	-
barcode	-
max pressure bar	125
max delivery rate l/h	400
abs. power W	1800
weight	7,5 Kg
dimensions	29,5 x 26,5 h 56
pcs for pallet	42

Load Q.ty: 20'=566 40'=1130 40' HQ=1280


Available also 110/120V - 60Hz version: 1400 psi max - 1.55 GPM (USA) max - 1350W




- Three pistons, aluminium pump head with built-in by-pass valve
- Built-in detergent tank for direct suction
- Automatic Stop System
- Ergonomic handle
- Accessory storage facility
- Standard set of accessories
- Fixed brush
- Inlet filter




WOBBLE PLATE
PUMP




CONNECTION
GUN
CLICK



+50%
WASHING



3
LEVEL
WASHING




Rise HR

COLD WATER HIGH-PRESSURE CLEANERS	
code	-
barcode	-
max pressure bar	135
max delivery rate l/h	420
abs. power W	1900
weight	8,7 Kg
dimensions	29,5 x 26,5 h 60 cm
pcs for pallet	42


Load Q.ty: 20'=566 40'=1130 40' HQ=1280

Available also 110/120V - 60Hz version: 1500 psi max - 1.55 GPM (USA) max - 1400W


STANDARD EQUIPMENT




- 6.001.0073
- 3.601.0035
- 4.018.0095
- 3.100.0405
- 6.002.0189C
- 6.002.0329




WOBBLE PLATE
PUMP



CONNECTION
GUN
CLICK



+50%
WASHING



4
LEVEL
WASHING

STANDARD EQUIPMENT



PROFESSIONAL COLD WATER HIGH-PRESSURE CLEANERS

code	8.664.0001C
operating pressure bar	30÷110 (max 130)
max delivery rate l/h	540
abs. power W/Voltage	2200 - 230V~50Hz
RPM	2800
weight	13,9 Kg
dimensions	47 x 32 h 27 cm
pcs for pallet	49

Load Q.ty: 20'=720 40'=1440 40' HQ=1620

Available also 110/120V - 60Hz version (8.664.0004C):
435÷1450 (max 1885) psi - 2.38 GPM (USA) - 1700W
- 3400 RPM

Partner 1210 LP

T.S. Total Stop

- Three pistons, aluminium linear pump head with built-in by-pass valve
- Suction and delivery S/S valves
- Integrated detergent suction with external suction probe
- Power cable (5 m)
- Pressure regulator
- Accessory holder
- Hose-holder
- Ergonomic handle



Aral LP

PROFESSIONAL COLD WATER HIGH-PRESSURE CLEANERS

STANDARD EQUIPMENT



- 4 poles electrical motor (1450 RPM) with thermal protection
- Three ceramic pistons, brass linear pump head with built-in by-pass valve
- Suction and delivery S/S valves
- By-pass thermal protection with safety valve
- Safety valve for overpressure
- Integrated detergent suction with external suction probe
- Power cable (5 m)
- Pressure regulator
- Glycerine pressure gauge
- Tough steel main frame

code	8.660.0003C
operating pressure bar	30÷200
delivery rate l/h	900
abs. power W/Voltage	7000 - 400V~50Hz
RPM	1450
weight	47,5 Kg
dimensions	50 x 90 h 83 cm
pcs for pallet	12

Load Q.ty: 20'=108 40'=228 40' HQ=304

Available also Aral 1515 (8.660.0002C): 400V-50Hz - 150 bar - 900 l/h - 5000W - 1450 RPM

Available also 60Hz versions:

Aral 1211 (8.660.0010C): 220V-60Hz 1 ph. - 435÷1740 psi - 2.91 GPM - 3000W - 1700 RPM

Aral 2013 (8.660.0008C): 220V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 6800W - 1700 RPM

Aral 2013 (8.660.0009C): 400V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 6800W - 1700 RPM



STANDARD EQUIPMENT



PROFESSIONAL COLD WATER HIGH-PRESSURE CLEANERS

code	8.601.0134C
operating pressure bar	30÷200
delivery rate l/h	780
motor power hp	9
RPM	3400
weight	45 Kg
dimensions	50 x 67 h 103 cm
pcs for pallet	9

Load Q.ty: 20'=81 40'=180 40' HQ=192

Thermic 9

- Unleaded gasoline engine
- Three ceramic pistons, brass linear pump head with built-in by-pass valve
- By-pass thermal protection with safety valve
- Integrated detergent suction with external suction probe
- Pressure regulator
- Glycerine pressure gauge
- Accessory holder
- Hose-holder
- Ergonomic handle



T.V. Thermal Valve

STANDARD EQUIPMENT



Torrens LP

PROFESSIONAL HOT WATER HIGH-PRESSURE CLEANERS

STANDARD EQUIPMENT



- 4 poles electrical motor (1450 RPM) with thermal protection
- Three ceramic coated pistons, brass linear pump head with built-in by-pass valve
- Suction and delivery S/S valve
- Total stop
- Power cable (m 5)
- Auxiliary motor for burner air-cooling and two ways fuel pump
- Temperature regulation gauge
- Glycerine pressure gauge
- Vertical burner with high thermal efficiency steel coil
- Ergonomic handles and impact resistant covers

code	8.627.0003C
operating pressure bar	30÷200
delivery rate l/h	900
abs. power W/Voltage	7300 - 400V~50Hz
RPM	1450
weight	121 Kg
dimensions	107 x 68 h 83 cm
pcs for pallet	1

Load Q.ty: 20'=24 40'=54 40' HQ=54

Available also Torrens 1211 (8.627.0001C): 230V-50Hz - 110 bar - 660 l/h - 3000W - 1450 RPM
Available also Torrens 1515 (8.627.0002C): 400V-50Hz - 150 bar - 900 l/h - 5500W - 1450 RPM

Available also 60Hz versions:

Torrens 1211 (8.627.0005C): 220V-60Hz 1 ph. - 435÷1595 psi - 2.91 GPM - 3200W - 1700 RPM

Torrens 2013 (8.627.0004C): 220V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 7000W - 1700 RPM

Torrens 2013 (8.627.0006C): 400V-60Hz 3 ph. - 435÷1740 psi - 3.44 GPM - 7000W - 1700 RPM



T.S. Total Stop



Manufacturing:

Yong Kang LavorWash Equipment Co.,Ltd

Add: No.268 Lingshi Road, Yongkang City, Zhejiang, China

Tel: 0086 057987102020 Mob: 0086 13738919487 Fax: 0086 057987102022

E-mail: sales.lavorchina@vip.163.com - Web site: www.lavorchina.cn

Sales:

LAVORWASH S.p.A. J.F.Kennedy, 12 - 46020 Pegognaga (MN) Italy -

Tel. 0039 0376 55431 - Fax 0039 0376 558927

E-mail: info@lavorwash.it - WebSite: www.lavorwash.it

